





Mallia™ Senses WITH Netatmo
a breath of fresh air



The connected Zigbee/Wi-Fi gateway connects you to the Internet via Wi-Fi



Connected wireless Home/Away master switch



Home + Control

Mallia™ Senses WITH Netatmo

a breath of freedom

Your home, simply connected

Connect your home in no time with Mallia™ Senses with Netatmo

Mallia™ Senses with Netatmo is the connected range of Mallia™ Senses. Connecting your home has never been so intuitive with the starter pack. The starter pack includes a connected Zigbee/Wi-Fi Gateway and a connected wireless Home/Away master switch.

Connect the starter pack's Gateway to your home's Wifi network to control your lights, curtains and roller blinds with a single gesture via your mobile or tablet with the Home + Control App.

Easily integrate all the connected products in your installation:

- Connected wired products.
- Connected wireless products are paired by tapping them on the wired products or by using the Home + Control App.



All these products communicate with one another via a Zigbee radio signal emitted by the Gateway.



Mallia™ Senses with Netatmo is part of Legrand's ELIOT program. This program is dedicated to developing sustainable connected solutions that are easy to use and maintain, accessible for everybody and customisable to the users' needs, desires and habits. To enhance the value of any home and make everyday life just that little bit more comfortable and secure.

Mallia™ Senses WITH Netatmo



3-gang wired connected light switch



a breath of freedom

Standalone or connected, a single look

Designed to blend in

The Mallia™ Senses with Netatmo switches and sockets blend in with all elements of the Mallia™ Senses range. Their common features – form and style – create perfect harmony.



Perfect integration

3 finishes for each style

Its palette of finishes - Matt White, Matt Black and Dark Silver - adapts to all styles and matches the colours of Mallia™ Senses.



Matt White



Dark silver



Matt black

Mallia™ Senses WITH Netatmo


Your home obeys
your touch

Upgrade your comfort

With Mallia™ Senses with Netatmo, all your home comforts will obey your touch and voice, whether individually or together.



2-gang connected light switch



1-gang connected curtain / roller blind switch




2-gang connected British standard switched 13A socket

Simply control lights, roller blinds and any device plugged into a connected electrical socket via your smartphone. Ideal for switching on your home's exterior lighting from your car.

a breath of freedom


With a touch or a word, simply switch the lights on or off, open or close the roller blinds, activate or deactivate your household appliances. Once you've tasted this ease, you'll love it.



Home + Control App
Control your lighting, roller blinds and appliances remotely from a smartphone or by voice.



Home + Control



Mallia™ Senses WITH Netatmo

**Tell your home
what you want**

Talk to your voice assistant

Control your home with your voice using your favorite assistant, Amazon Alexa, Google Assistant or Apple Siri.

For a gentle wake-up or a muted atmosphere, command your voice assistant to adjust the lighting intensity to 50%.

Ready to go? Simply say three words, "Activate away scene", to turn off all the lights and close all the roller blinds at once.

Your connected installation can also be controlled via a smart display such as Nest Hub or Amazon Echo Show.



a breath of freedom

Or use your touch controls

Of course, you can always use your switches to control lights and other devices.



3-gang connected
light switch

Mallia™ Senses WITH Netatmo

Your home
knows your habits

Control it with one touch...

With Mallia™ Senses with Netatmo, it's quicker and simpler to leave your home and come back. The **"Away"** command switches off all the lights and closes all the roller blinds or the curtains at once. When you return, activate the **"Home"** command with one touch to switch on your connected lights in the entrance hall and living room.

Put your home to sleep and wake it up with the same simplicity. From your bed, activate the **"Sleep"** scenario to switch off the lights and close the roller blinds. When you wake up, activate the **"Wake up"** scenario to open the roller blinds and turn on your coffee machine.

Or simply customize your own scenarios with the wireless **"4 scenes"** switch. Each personalized scenario lets you control several devices at once at a certain time of the day.



Connected wireless Home/Away
master switch



Connected wireless Wake up/
Sleep switch




Connected wireless 4 scenes
switch

a breath of freedom

... and schedule automatic actions

Schedule repeating actions to run automatically every day or every week, with the Home + Control App.

For example, program the opening of the roller blinds at a fixed time every weekday. Leave weekends in manual mode. Or automate your outdoor lighting to greet you when you return home from work. Once and for all.



Connected wireless
Wake up/Sleep switch



Home + Control Weekly schedule

Mallia™ Senses

WITH
Netatmo



Connected British standard socket outlet
Remotely control your home appliances
and be notified on your smartphone of any
abnormal activity.




a breath of freedom

Keep in touch

Receive notifications from your connected home

You are automatically alerted in the event of an anomaly – a power cut at a socket outlet or lights that have remained on – on your smartphone, wherever you are.



Manage your energy consumption and save money

Track the power consumption of each connected outlet and optimize your energy expenses.



a breath of freedom

Mallia™ Senses WITH Netatmo

**Control your home,
wherever you are**

Manage your home with your smartphone


Legrand's Home + Control App is free and available on the App Store and Google Play, for mobile and tablet.

Stay in control when you're away

In your absence, give access to your connected home to your family or friends via the Home + Control app.

The app also allows you to simulate your presence when you're away by controlling your connected devices individually or all at once. You can even customize Legrand scenarios and create your own weekly schedules.

Manage your energy consumption via your fingertips and save energy and money, every day. If ever there's a problem, such as a power failure or surge, you are immediately informed on your smartphone.



Home + Control



Mallia™ Senses WITH Netatmo

Everything
you need for
a connected
home

WIRED PRODUCTS

Wired products are installed in the same way as traditional wiring devices and then paired with the wireless switches via ZigBee 2.4 Ghz waveband. Thanks to the dynamic mesh network, all functions can easily be reconfigured at any time. It is also easy to add extra functions.

TO START



STARTER PACK

To start the connected installation with Mallia™ Senses with Netatmo, the connected Gateway pack is essential. It's used to create the radio network and the Wi-Fi connection of the connected installation and consists of a Zigbee/Wi-Fi gateway and a Home/Away wireless master switch. = **THE CONNECTED ZIGBEE/WI-FI GATEWAY**



LIGHTS*

CONNECTED LIGHT SWITCH WITH NEUTRAL From 1-gang to 3-gang
CONNECTED LIGHT SWITCH WITH & WITHOUT NEUTRAL WITH DIMMER OPTION
MICROMODULE SWITCH WITH NEUTRAL



CURTAINS /
ROLLER BLINDS*

CONNECTED CURTAIN / ROLLER BLIND SWITCH WITH NEUTRAL 1-gang or 2-gang
CONNECTED CURTAIN / ROLLER BLIND MICROMODULE



CONNECTED
OUTLETS*

CONNECTED BRITISH STANDARD SWITCHED SOCKET OUTLET
1-gang or 2-gang
CONNECTED MOBILE BRITISH STANDARD SOCKET OUTLET



*Zigbee Certified products



a breath of freedom

WIRELESS PRODUCTS (BATTERY POWERED)

Wireless light switches and curtains /roller blind switches are used to extend the installation and enable individual, group-based or centralized remote control of lighting and curtains or roller blinds. They are adaptable to take into account evolutions of the installation over time (can be positioned anywhere).
Wireless scene controls are used to activate pre-programmed, more complex scenes that enhance comfort when you wake up in the morning or go to bed at night, leave house or come home.

MOBILE APPLICATION



Home + Control



CONNECTED WIRELESS HOME / AWAY MASTER SWITCH



LIGHTS*

CONNECTED WIRELESS LIGHT SWITCH
From 1-gang to 3-gang
CONNECTED WIRELESS SWITCH ON/OFF MODULE
CONNECTED WIRELESS MOTION SENSOR IP 44



CURTAINS /
ROLLER BLINDS*

CONNECTED WIRELESS CURTAIN / ROLLER BLIND SWITCH



SCENES*

CONNECTED WIRELESS HOME / AWAY MASTER SWITCH
CONNECTED WIRELESS WAKE UP/SLEEP SWITCH
CONNECTED WIRELESS 4 SCENES SWITCH
4 SCENES POCKET REMOTE CONTROL



Discover more applications with the Smart Electrical panel:
CX²/EMDX² with Netatmo connected modules



Mallia™ Senses WITH Netatmo

**Adapt
your installation to meet
your changing needs**

Free to change your mind

You can add or move the wireless lighting control without rewiring or damaging the walls. Extra-flat and flush, it can be put whenever you need it. It's repositionable at any time, to adapt to your child's growth or a new layout of your furniture...



a breath of freedom

Easily integrate all your devices in your installation

Wireless switches such as lighting controls, roller blind controls or scene controls can be paired by tapping them on the wired products, or by using the Home + Control App.



Open and interoperable

Your Mallia™ Senses with Netatmo installation is interoperable with the market's IoT protocols. This openness enables you to add third-party products, such as a thermostat or an alarm, to meet your changing needs.

Mallia™ Senses with Netatmo works with the largest brands and platforms – like Apple HomeKit, Google Home, Amazon Echo, Somfy, Bubendorff and Netatmo.





Mallia™ Senses with Netatmo

connected gateway pack

Must be ordered for any connected installation

Step 1: Gateway pack for a connected home



Home + Control



2 815 01MB

Used to create the radio network and the Wi-Fi connection of the connected installation

Enables remote control of your home (lighting, curtain/roller blind and electrical appliances) using a smartphone via the Home + Control App and/or voice control with a voice assistant

Must be ordered to start any connected installation

To be completed by adding individual connected products

2.4 GHz Wi-Fi connection required

Pack	Cat.Nos	Connected gateway pack
1	2 815 01DS	<p>Used to create the radio network and the Wi-Fi connection</p> <p>Each product is supplied complete with the protection film and with 2 screws M3,5 for BS boxes</p> <p>Composition:</p> <ul style="list-style-type: none"> - 1 flush-mounted Zigbee/Wi-Fi gateway - 1 Home/Away wireless master switch with preset life scenes <p>Allows the connection of the installation to the Wi-Fi network and enables control through the Home + Control App and voice assistants (Google Assistant, Amazon Alexa, Apple Siri)⁽¹⁾</p> <p>Can be installed in place of an existing product</p> <p>Suitable for flush-mounting box min. depth 35 mm</p> <p>Dim.: 86x86 mm</p> <p>Used to create the radio network and to control life scenes</p> <p>Life scenes can be customised in the Home + Control App</p> <p>Supplied with CR2032 3 V long-life battery for power supply and 2 removable stickers for fixing the control unit on any substrate</p> <p>LED function for low battery indication</p> <p>Dim.: 86x86 mm</p>
1	2 815 01MB	
1	2 815 01MW	



1: Availability of voice assistants to be checked in your country

Legrand's Home + Control App available from **Google Play and App Store**



Products to be submitted to local tests to ensure a perfect functioning
Please contact your local agency

Mallia™ Senses with Netatmo

connected light switches

Mallia™ Senses with Netatmo

connected light switches with dimmer option

Step 2: Connected products



Home + Control



2 815 06MB



5 742 43

Used to create your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60669-2-5

Step 2: Connected products



Home + Control



2 815 09MB

Used to create your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60669-2-5

Pack	Cat.Nos	Connected light switches with neutral, 600 W
		<p>Compact mechanism for greater wiring space Supplied with 2 screws M3,5 for BS boxes Supplied as complete product with the protection film Dim.: 86x86 mm For local or remote control of lighting Can be controlled by one or more connected wireless light switches or mechanical push-buttons without lamps For all types of lamps (compatible with dimmable lamps):</p> <ul style="list-style-type: none"> - LEDs and CFL lamps with integrated electronic ballast: 300 VA - Incandescent and halogen lamps: 600 W - ELV halogen, CFL lamps with separate ferromagnetic ballast: 300 VA - ELV halogen, CFL lamps with separate electronic ballast: 300 VA <p>Can be installed in place of an existing switch in a flush-mounting box depth 25 mm Locator and indicator function can be activated from the Home + Control App Zigbee Certified Product</p>
1	2 815 02DS	<p>1-gang</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 02MB	
1	2 815 02MW	
1	2 815 04DS	<p>2-gang</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 04MB	
1	2 815 04MW	
1	2 815 06DS	<p>3-gang</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 06MB	
1	2 815 06MW	
1	5 742 43	<p>Micromodule switch with neutral, 300 W</p> <p>Used to connect lights with a ceiling box installation Can be controlled by one or more wireless light switches or mechanical push-buttons Paired by tapping the wireless control on the micromodule Zigbee Certified Product</p>

Pack	Cat.Nos	Connected light switches with dimmer option
		<p>Compact mechanism for greater wiring space Supplied with 2 screws M3,5 for BS boxes Supplied as complete product with the protection film Dim.: 86x86 mm For local or remote control of lighting Can be controlled by one or more connected wireless light switches or mechanical push-buttons without lamps Memory level function Can be installed in place of an existing switch in a flush-mounting box depth 25 mm Dimmer mode and locator/indicator function can be activated from the Home + Control App Zigbee Certified Products</p>
1	2 815 08DS	<p>With neutral, 150 W, 1-gang</p> <p>For all types of dimmable lamps:</p> <ul style="list-style-type: none"> - LEDs: 150 VA - CFL lamps with integrated electronic ballast: 150 VA - Incandescent and halogen lamps: 150 W - ELV halogen, CFL lamps with separate ferromagnetic ballast: 150 VA - ELV halogen, CFL lamps with separate electronic ballast: 150 VA <p>● Dark Silver ● Matt Black ○ Matt White</p>
1	2 815 08MB	
1	2 815 08MW	
1	2 815 09DS	<p>Without neutral, 200 W, 1-gang</p> <p>For all types of dimmable lamps:</p> <ul style="list-style-type: none"> - LEDs: 5 VA to 200 VA - CFL lamps with integrated electronic ballast: 5 VA to 200 VA - Incandescent and halogen lamps: 5W to 200 W - ELV halogen, CFL lamps with separate electronic ballast: 5 VA to 200 VA <p>Supplied with a bleeder</p> <p>● Dark Silver ● Matt Black ○ Matt White</p>
1	2 815 09MB	
1	2 815 09MW	

Mallia™ Senses with Netatmo

socket outlets

Step 2: Connected products



Home + Control



2 815 20MW



2 815 19DS

Used to complete your connected installation, require prior installation of a gateway pack for connected installation
Conform to BS 1363-2 and IEC 60669-2-5

Pack	Cat.Nos	Connected British Standard socket outlets 13 A – 250 V, switched, single pole
1	2 815 20DS	<p>Compact mechanism for greater wiring space Supplied with 2 screws M3,5 for BS boxes All sockets integrate child protection Supplied as complete product with the protection film Protected against overloads ASTA licence Remote control via the Home + Control App Compatible with any electrical appliance or large household appliance Connected socket outlets allow to:</p> <ul style="list-style-type: none"> - remotely control electrical appliances - measure instantaneous power - monitor daily and monthly consumption - send configurable notifications in case of abnormal use (overconsumption, etc.) <p>Can be installed in place of an existing socket outlet in a flush-mounting box min. depth 35 mm Indicator function can be activated from the Home + Control App Socket outlets can be controlled by one or more connected wireless switches Zigbee Certified Product</p> <p>2P+E switched - 1-gang Dim.: 86 x 86 mm</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White <p>2 x 2P+E switched - 2-gang Dim.: 146 x 86 mm</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 20MB	
1	2 815 20MW	
1	2 815 19DS	<p>Indicator function can be activated from the Home + Control App Socket outlets can be controlled by one or more connected wireless switches Zigbee Certified Product</p> <p>2P+E switched - 1-gang Dim.: 86 x 86 mm</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White <p>2 x 2P+E switched - 2-gang Dim.: 146 x 86 mm</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 19MB	
1	2 815 19MW	

Mallia™ Senses with Netatmo

mobile socket outlets

Step 2: Connected products



Home + Control



0 648 89

Used to complete your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60884-2-5 and IEC 60669-2-5

Pack	Cat.Nos	Connected mobile socket outlets
1	0 648 89	<p>To be plugged directly into an existing socket outlet For control of lights, electrical appliances and large household appliances Can be paired with one or more wireless light switches</p> <ul style="list-style-type: none"> - ON/OFF indicator LED function <p>Connected mobile socket outlets allow to</p> <ul style="list-style-type: none"> - remotely control electrical appliances - measure instantaneous power - monitor daily and monthly consumption - send notifications in case of abnormal use (overconsumption, etc.) <p>Indicator LED function can be activated from the Home + Control App</p> <p>13 A British standard connected mobile socket outlet - 3000 W</p> <ul style="list-style-type: none"> ● Magnesium



Mallia™ Senses with Netatmo

connected curtain/roller blind switches

Step 2: Connected products



Home + Control



2 815 10MB



0 676 97

Used to complete your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60669-2-5

Mallia™ Senses with Netatmo

connected wireless light switches

Step 2: Connected products



Home + Control



2 815 12MW



2 815 14DS

Used to create your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60669-2-5

Pack	Cat.Nos	Connected curtain/roller blind switches
1	2 815 11DS 2 815 11MB 2 815 11MW	<p>For local and remote control of a 230 V~ curtain/roller blind (raise/lower/stop functions and level management) Compatible with roller blinds with mechanical or electronic stop, not compatible with radio-controlled roller blinds Can be paired with one or more connected curtain/roller blind wireless switches Locator function can be activated from the Home + Control App Can be installed in place of an existing roller blind switch in a flush-mounting box 25 mm depth Compact mechanism for greater wiring space Supplied with 2 screws M3,5 for BS boxes Supplied as complete product with the protection film Dim.: 86 x 86 mm Zigbee Certified Products</p> <p>Curtain/roller blind switch with neutral - 1-gang, 500 VA</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 10DS 2 815 10MB 2 815 10MW	<p>Curtain/roller blind switch with neutral - 2-gang, 2x500 VA</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	0 676 97	<p>Connected curtain/roller blind micromodule 500 VA, IP 44</p> <p>For local and remote control of a 230 V~ roller blind (raise/lower/stop functions and level management) Compatible with roller blinds with mechanical or electronic stop, not compatible with radio-controlled roller blinds Can be paired with one or more roller blind wireless switches To be installed in the ceiling box or roller blind box to connect a new or existing roller blind Zigbee Certified Product</p>

Pack	Cat.Nos	Connected wireless light switches
1	2 815 12DS 2 815 12MB 2 815 12MW	<p>Used to add an extra lighting control Easy pairing by tapping the connected wired product or by using the Home + Control App Supplied with CR2032 3 V long-life battery for power supply Supplied with 2 removable stickers for fixing the control unit on any substrate LED function for low battery indication Supplied as complete product with the protection film Dim.: 86x86 mm Zigbee Certified Product</p> <p>1-gang Controls up to 20 wired products: switches with or without dimmer option, micromodules, socket outlets</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 13DS 2 815 13MB 2 815 13MW	<p>2-gang Controls up to 2x20 wired products: switches with or without dimmer option, micromodules, socket outlets</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 14DS 2 815 14MB 2 815 14MW	<p>3-gang Controls up to 3x20 wired products: switches with or without dimmer option, micromodules, socket outlets</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White

Mallia™ Senses with Netatmo

connected wireless lighting controls

Step 2: Connected products



Home + Control



0 648 75



0 676 94

Used to create your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60669-2-5

Pack	Cat.Nos	Connected wireless motion sensor IP44
1	0 648 75	 <p>Allows to control up to 20 wired switches, micromodules and socket outlets Easy pairing by tapping the connected wired products or by using the Home + Control App Supplied with 2 x AA batteries For indoor and outdoor use Recommended distance between 2 sensors: 6 m Recommended installation height: 2.5 m Time delay adjustable from 15 s to 15 min Range: 8 m Detection angle: 140° Sensor range adjustable from 2 m to 8 m With ON/OFF test buttons Light level threshold adjustable from 1 to 1000 lux Zigbee Certified Product</p>
1	0 676 94	 <p>Wireless switch on/off module Allows to transform a mechanical 2-way switch or push-button into a wireless on/off switch Small size for easy integration into the wall box To be paired with one connected switch, micromodule, socket outlet Supplied with CR2032 3V long-life battery for power supply Zigbee Certified Product</p>

Mallia™ Senses with Netatmo

connected wireless curtain/roller blind switches

Step 2: Connected products



Home + Control



2 815 18MW

Used to create your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60669-2-5

Pack	Cat.Nos	Connected wireless curtain/ roller blind switches
1	2 815 18DS	<p>Used for remote control or centralization of up to 20 connected wired curtain/roller blind switches Pair by tapping the selected roller blind switch(es) or by using the Home + Control App Supplied with CR2032 3 V long-life battery for power supply LED function for low battery indication Supplied with 2 removable stickers for fixing the control unit on any substrate Supplied as complete product with the protection film Dim.: 86x86 mm Zigbee Certified Product</p> <p>1-gang</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 18MB	
1	2 815 18MW	

Mallia™ Senses with Netatmo

connected wireless scene switches

Step 2: Connected products



Home + Control



2 815 16DS



2 815 17MB



2 815 15MW




0 676 95

Used to create your connected installation, require prior installation of a gateway pack for connected installation
Conform to IEC 60669-2-5

Pack	Cat.Nos	Product Name	Description	Color Options
1	2 815 16DS	Connected wireless Home/Away master switches	Used to add an extra Home/Away wireless master switch Work in the same way as the Home/Away wireless master switch included in the gateway pack Home/Away life scenes can be customised in the Home + Control App Supplied with CR2032 3 V long-life battery for power supply LED function for low battery indication Supplied with 2 removable stickers for fixing the control unit on any substrate Supplied as complete product with the protection film Dim.: 86x86 mm Zigbee Certified Product	● Dark Silver
1	2 815 16MB			● Matt Black
1	2 815 16MW			○ Matt White
1	2 815 15DS	Connected wireless 4 scenes switches	Used to add 4 customised scenes to a connected installation Scenes can be customised in the Home + Control App Possibility to assign personalized names and to associate icons to the scenes in the Home + Control App Supplied with CR2032 3 V long-life battery for power supply Zigbee Certified Product	● Dark Silver
1	2 815 15MB			● Matt Black
1	2 815 15MW			○ Matt White
1	0 676 95	Pocket remote control	Can be attached to a keyring	● Magnesium
1	0 648 71	Accessory	Pack of 3 x 4 extra removable stickers for fixing a wireless control	
1	2 815 17DS	Connected wireless Wake up/Sleep switches	Used to add 2 extra scenes to a connected installation Preset Wake up/Sleep life scenes which can be customised in the Home + Control App Supplied with CR2032 3 V long-life battery for power supply LED function for low battery indication Supplied with 2 removable stickers for fixing the control unit on any substrate Supplied as complete product with the protection film Dim.: 86x86 mm Zigbee Certified Product	● Dark Silver
1	2 815 17MB			● Matt Black
1	2 815 17MW			○ Matt White

Mallia™ Senses with Netatmo

installation principle



Mallia™ Senses with Netatmo

connected light switches for system integrator



2 815 03MW



2 815 07DS

Conform to IEC 60669-2-5

These connected light switches can be associated only to a Zigbee 3.0 third party gateway to create their own connected home

Pack	Cat.Nos	Connected light switches without neutral, 600 W, for system integrators
1	2 815 03DS	<p>Compact mechanism for greater wiring space Supplied with 2 screws M3,5 for BS boxes Supplied as complete product with the protection film Dim.: 86x86 mm Can't be associated or activated from the Legrand Home + Control App For local or remote control of lighting Can be controlled by mechanical push-buttons without lamps For all types of lamps (compatible with dimmable lamps): - LEDs and CFL lamps with integrated electronic ballast: 15 VA to 300 VA - Incandescent and halogen lamps: 15 W to 600 W - ELV halogen, CFL lamps with separate ferromagnetic ballast: 15 VA to 300 VA - ELV halogen, CFL lamps with separate electronic ballast: 15 VA to 300 VA Supplied with a bleeder Can be installed in place of an existing switch in a flush-mounting box depth 25 mm Zigbee Certified Product</p>
1	2 815 03MB	
1	2 815 03MW	
1	2 815 05DS	<p>1-gang</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 05MB	
1	2 815 05MW	
1	2 815 07DS	<p>2-gang</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 07MB	
1	2 815 07MW	
1	2 815 07DS	<p>3-gang</p> <ul style="list-style-type: none"> ● Dark Silver ● Matt Black ○ Matt White
1	2 815 07MB	
1	2 815 07MW	

1 Step 1 : Starter pack



Zigbee/Wi-Fi gateway



Home/Away wireless master switch

2 Step 2 : Connected wired products and connected wireless products



Connected light switches



Connected British standard socket outlets


Wire your selected connected wired products.

Associate your connected wireless products.

3 Step 3 : Control your connected home



Pilot your home with your smartphone via Legrand's Home + Control App
 The App is available from Google Play and App Store



Tell your home what you want with your voice assistant.



FOLLOW US
ALSO ON

-  legrand.com
-  youtube.com/user/legrand
-  twitter.com/legrand_news
-  pinterest.com/legrandgroup



Legrand (HK) Limited

9/F, Storefriendly Tower (Peninsula West),
850 - 870 Lai Chi Kok Road,
Cheung Sha Wan, Kowloon, Hong Kong
Tel : (852) 2687 4200
Fax : (852) 2687 4300
Website : www.legrand.com.hk